

INDEX TO LECTURE NOTES
(ver 1.2)

active antenna	III-74	constrained lens	IV-65
adaptive antenna	III-83	coordinate systems	I-87
antenna temperature	III-70	co-polarized	III-8
aperture distributions	III-27, IV-14	cosine feed directivity	IV-49
aperture efficiency	III-26	cosine feed efficiency	IV-49
aperture field	IV-4	cosine-on-a-pedestal	III-25
aperture in a ground plane	IV-4	coverage diagram	V-13
array directivity	III-21	critical frequency	V-57
array edge effect	III-29	cross polarization	IV-62
array factor, AF	III-2	cross polarization loss	IV-43
arrays	III-1	crossed dipoles	II-60
atmospheric attenuation	V-50	cross-polarized	III-8
attenuation constant	I-6, I-15	cylindrical coordinate system	I-87
axial ratio	II-61	cylindrical paraboloid	IV-46
azimuth	II-19	Debye model	I-11
balun	II-31	decibel (dB)	I-86
bandwidth	I-81	detection threshold	III-71
basis function	II-35	diffraction region	V-36, V-39
Bayliss	III-25	digital beamforming	III-86
bazooka balun	II-33	dipole feed	IV-58
beam coupling loss	III-81	direct	V-2
beam solid angle	II-13	direction cosines	III-6
beamforming networks	III-38	directive gain	II-10
beamwidth between first nulls (BWFN)	III-19	directivity	II-10
biconical antenna	II-53	discrete Fourier transform (DFT)	III-50
binomial distribution	III-25	dispersive dielectric	I-13
blade antenna	II-69	doubly curved surface	IV-35
blockage	IV-42, IV-51	duct	V-4, V-69
bootlace lens	IV-65	earth radius	V-22
Brewster's angle	I-31	edge diffraction	III-29
broadband antennas	II-51	edge taper, edge illumination	IV-44
bulge factor	V-33	effective aperture	III-57
capacitance	I-45	effective area	III-57
cascaded devices	III-73	effective height	II-64
Cassegrain	IV-36, IV-53	effective isotropic radiated power	V-17
chamber configurations	IV-77	effective radiated power (ERP)	V-17
characteristic impedance	I-45, I-51	effective temperature	III-69
Chebyshev	III-24	efficiency	II-17
choke	II-32	electron charge	V-57
circular polarization	I-20	electron density	V-54, V-57
circulator	I-79	electron mass	V-57
classification of antennas	II-1	element factor, EF	III-2
clutter	III-65	elevation	II-19
coaxial cable	I-41	elliptical polarization	II-61
collision frequency	V-57	entire domain	II-37
conductance	I-45	E-plane	III-7
conductivity	I-3	E-plane horn	IV-18
conjugate matched antenna	III-58	equivalence principle	IV-1

equivalent currents	IV-1	illumination efficiency	III-26
equivalent earth radius	V-23, V-27	image	II-57
equivalent noise temperature	III-69	impedance	I-8, I-45, I-37
excitation vector	II-39	impedance matching	I-55
expansion function	II-35	impedance matrix	II-39
false alarm	III-71	incident fields	IV-2
far field, far zone	II-3, II-4	inductance	I-45
fast Fourier transform (FFT)	III-51	integral equation (IE)	II-35
feeding antennas	II-29	interference region	V-36, V-37
filament of current	II-7	ionosphere	V-1
filter	I-83	ionospheric hop	V-3, V-53
flat earth approximation limit	V-36, V-41	knife edge diffraction	V-31
flux tube, ray bundle	IV-39	launch angle	V-66
focused beam	III-24	layers	V-54
Fourier series	II-41	lens antenna	IV-63
frequency bands	I-89, V-6	linear array	III-3
frequency spectrum	I-90	linear phase progression	III-24
Fresnel reflection	I-28	link equation	III-60
Fresnel zone	V-28	log periodic antenna	II-55
Friis transmission equation	III-60	lognormal distribution	V-47
front-to-back ratio	II-56	loop antenna	II-71
gain	II-17	loss	I-64
geometric series	III-4	lossy medium	I-14
geometrical optics	I-27, IV-40	Love's equivalence principle	IV-3
Gladstone-Dale constant	V-22	low sidelobe	III-23
GPS antenna	III-76	lumped elements	I-61
grating lobe	III-15	Luneberg lens	IV-66
grazing angle	V-9	magic tee	I-78
ground plane	II-58	magnetic current	II-5
ground wave	V-2, V-41	magnetic vector potential	II-3
group velocity	I-72, I-77	magnetosphere	V-56
half wave dipole	II-23	main lobe, main beam	III-4
half wave dipole, directivity	II-25	Martyn's law	V-62
half wave dipole, radiated power	II-25	matched load	I-48,I-54
HARM	IV-71	maximum usable frequency (MUF)	V-62
Hata model	V-47	Maxwell's equations	I-3
height-gain curve	V-15	measurement	IV-75
helix antenna	II-74	method of images	II-57
Hertzian (short) dipole	II-6	method of moments (MM)	II-34
Hertzian dipole, directivity	II-10	microstrip	I-41
Hertzian dipole, gain	II-17	microstrip antenna	IV-27
Hertzian dipole, HPBW	II-11	miss	III-71
Hertzian dipole, radiated power	II-8	modes	I-70
Hertzian dipole, radiation pattern	II-11	modulation	I-82
Hertzian dipole, radiation resistance	II-17	monopole	II-59
hog-horn antenna	IV-56	monostatic radar	I-2, III-62
horizon, distance to	V-24	multipath	V-2
horizontal polarization	V-18	multipath, flat earth	V-8
horn antenna	IV-18	multiple beam antennas	III-78
H-plane	III-7	multiplexer	I-84
H-plane horn	IV-18	mutual impedance	II-44, II-47
Huygen's principle	III-9	noise	III-65

noise bandwidth	III-67	radiation integral	II-2
noise figure	III-72	radiation intensity	II-10
noise power	III-68	radio (radar) horizon	V-24
nonstandard refraction	V-69	radome	IV-68
null-field hypothesis	IV-51	rain attenuation	V-50
nulls	III-4	random roundoff	III-46
numerical distance	V-42	Rascal	IV-53
numerical integration	II-26	ray tracing	IV-39
offset reflector	IV-37, IV-55	Rayleigh-Jeans approximation	III-68
ohmic loss	II-17	receiving antennas	III-57
open circuit	I-48,I-54	reciprocity	II-42
open-ended waveguide	IV-10	reciprocity theorem	II-44
optimum horn	IV-24	rectangular aperture	IV-6
optimum usable frequency (OUF)	V-62	reflected	V-2
orthogonal beams	III-81	reflecting systems	IV-36
parabolic reflector	IV-40	reflection coefficient	I-30, I-47
parallel feed	III-38	reflection loss	II-30
parasitic	II-56	reflector antenna	IV-34
passive antenna	III-74	refraction	V-22
patch antenna	IV-27	refractive modulus	V-71
path loss	V-47	refractivity	V-70
path-gain factor (PGF)	V-10	resistance	I-45
pattern multiplication	III-2	rotating linear polarization	II-62
pattern propagation factor (PPF)	V-10	rough surface	V-18
perfect electric conductor (PEC)	II-2	roundoff error	III-46
perfect magnetic conductor (PMC)	IV-5	scanned aperture	IV-16
permeability	I-3	scanned array	III-13
permittivity	I-3	scattered fields	IV-2
phase constant	I-6, I-15, I-73, I-77	secant law	V-62
phase delay	III-11	self impedance	II-40
phase shifter	III-48	series feed	III-37
phase velocity	I-73,I-77	shadow boundary	V-31
phasor	I-4	short circuit	I-48,I-54
piecewise sinusoid	II-36	sidelobe control	III-23
planar array	III-33	sidelobes	III-4
plane waves	I-6	signal-to-noise ratio (SNR)	III-71
Plank's blackbody law	III-67	sinc function, $\sin(x)/x$	IV-9
plasma frequency	V-57	singly curved surface	IV-35
polarization diversity (reuse)	III-8	skin depth	I-17, I-39
polarization loss factor, PLF	II-64, II-68	skip distance	V-59
power density	I-10	smart antenna	III-84
power divider	I-63	smooth surface	V-18
Poynting theorem	I-10	space feed	III-38
principal planes	III-7	sphere diffraction	V-32
propagation	V-1	spherical coordinate system	I-87
propagation constant	I-6,I-15,I-44	spherical wave	I-23
propagation mechanisms	V-1	spillover	IV-42
pyramidal horn	IV-19	spiral antenna	II-53
quadratic phase error	IV-20	standard atmospheric conditions	V-27
quarter wave transformer	I-56	standing wave	I-48
radar cross section	III-64	steradian	II-9
radar range equation (RRE)	III-62	Stratton-Chu (radiation) integral	II-2

stub tuning	I-58
subdomain	II-36
super refraction	V-70
surface current	I-16
surface duct	V-69
surface resistivity	I-17
surface wave	V-21
switch	I-80
system noise temperature	III-69
taper	III-24
Taylor	III-25
TE10 mode	IV-10
TEM wave	I-8, I-24
terrain diffraction	V-4
thermal noise	III-67
thin wire antennas, patterns	II-28
thin wires, current distribution	II-22
thin-wire approximation	II-6
time delay	III-11, III-48
total internal reflection	I-31
transfer impedance	II-44
transformations	I-87
transmission line	I-41
transmission line circuit	I-47
transmission line equation	I-42
transverse electric (TE)	I-68, I-71
transverse magnetic (TM)	I-68, I-69
troposcatter	V-3
troposphere	V-1
turnstile antenna	II-60
ultra-low sidelobe	III-23
uniqueness theorem	II-58
urban propagation	V-46
vertical polarization	V-18
virtual height	V-58
visible region	III-5
voltage minimum/maximum	I-50
VSWR	II-30
wave equation	I-4
wave equation, vector	II-3
wave impedance	I-72, I-77
waveguide radiation	IV-10
waveguides	I-66
wavelength in waveguide	I-73, I-77
white noise	III-67
yagi-uda	II-56